

What is claimed is:

1. An isolated AAV-1 nucleic acid molecule comprising a sequence selected from the group consisting of:
- (a) SEQ ID NO: 1;
 - (b) a DNA sequence complementary to SEQ ID NO: 1;
 - (c) cDNA complementary to (a) or (b); and
 - (d) RNA complementary to any of (a) to (c).
2. A nucleic acid molecule comprising an AAV-1 inverted terminal repeat (ITR) sequence selected from the group consisting of:
- (a) nt 1 to 143 of SEQ ID NO: 1;
 - (b) nt 4576 to 4718 of SEQ ID NO: 1;
 - (c) a nucleic acid sequence complementary to (a) or (b); and
 - (d) a functional fragment of (a), (b), or (c).
3. A recombinant vector comprising a 5' AAV-1 inverted terminal repeat (ITR) and a selected transgene, wherein said ITR has the sequence selected from the group consisting of:
- (a) nt 1 to 143 of SEQ ID NO: 1;
 - (b) a nucleic acid sequence complementary to (a); and
 - (c) a functional fragment of (a) or (b).
4. The recombinant vector according to claim 3, wherein said vector further comprises a 3' AAV-1 ITR.

Sub
C1

5. A recombinant vector comprising a 3' AAV-1 inverted terminal repeat (ITR) and a selected transgene, wherein said ITR has the sequence selected from the group consisting of:

- (a) nt 4576 to 4718 of SEQ ID NO: 1;
- (b) a nucleic acid sequence complementary to (a); and
- (c) a functional fragment of (a) or (b).

6. The recombinant vector according to claim 5, wherein said vector further comprises a 5' AAV-1 ITR.

7. The recombinant vector according to any of claims 3-6, wherein said vector further comprises AAV-1 capsid proteins having the sequence of SEQ ID NO: 13, 15 or 17 or functional fragments thereof.

8. The recombinant vector according to any of claims 3-6, wherein said vector further comprises adenovirus sequences.

9. A recombinant vector comprising an AAV-1 P5 promoter having the sequence of nt 236 to 299 of SEQ ID NO: 1 or a functional fragment thereof.

10. A nucleic acid molecule encoding AAV-1 helper functions, said molecule comprising an AAV rep coding region and an AAV cap coding region, wherein said cap coding region comprises at least one member is selected from the group consisting of:

- (a) vp1, nt 2223 to 4431 of SEQ ID NO: 1;
- (b) vp2, nt 2634 to 4432 of SEQ ID NO: 1; and
- (c) vp3, nt 2829 to 4432 of SEQ ID NO: 1.

11. A nucleic acid molecule encoding AAV-1 helper functions, said molecule comprising an AAV rep coding region and an AAV cap coding region, wherein said rep coding region comprises an AAV-1 rep coding region comprising at least one member selected from the group consisting of:

- Sub C1
- (a) rep 78, nt 335 to 2304 of SEQ ID NO: 1;
 - (b) rep 68, nt 335 to 2272 of SEQ ID NO: 1 or the cDNA corresponding thereto;
 - (c) rep 52, nt 1007 to 2304 of SEQ ID NO: 1; and
 - (d) rep 40, nt 1007 to 2272 of SEQ ID NO: 1 or the cDNA corresponding thereto.

12. A host cell transduced with a recombinant viral vector according to any of claims 3-6.

13. A host cell transduced with a nucleic acid molecule according to any of claims 1, 2, 10 or 11.

Sub C1

14. A host cell stably transduced with an AAV-1 P5 promoter having the sequence of nt 236 to 299 of SEQ ID NO: 1.

15. A pharmaceutical composition comprising a carrier and a virus comprising the vector according to any of claims 3-6.

16. A pharmaceutical composition comprising a carrier and a virus comprising the vector according to claim 7.

Sub C1

17. A pharmaceutical composition comprising a carrier and a virus comprising the vector according to claim 8.

18. A method for AAV-mediated delivery of a transgene comprising the step of delivering to a host cell an AAV virion which comprises:

- (a) a capsid comprising at least one capsid protein encoded by an AAV-1 cap gene; and
- (b) a DNA molecule comprising a transgene under the control of regulatory sequences directing its expression.

19. A method for AAV-mediated delivery of a transgene to a host comprising the steps of:

- (a) assaying a sample from the host to determine the presence of neutralizing antibodies specific against any serotype of AAV; and
- (b) delivering to the host an AAV virion which comprises:
 - (i) a capsid comprising at least one capsid protein encoded by a cap gene of an AAV serotype against which the host has no antibodies as determined in step (a); and
 - (ii) a DNA molecule comprising a transgene under the control of regulatory sequences directing its expression.

20. The method according to claim 19, comprising the additional step of repeating steps (a) and (b).

21. Use of an AAV virion which comprises a capsid comprising (a) at least one capsid protein encoded by a cap gene of an AAV serotype against which the host has antibodies, and (b) a DNA molecule comprising a transgene operably linked to regulatory sequences directing its expression,

in the preparation of a medicament for delivery of a transgene to a host, wherein said host has no preexisting neutralizing antibodies against the AAV serotype of said cap gene.

22. A method for delivery of a transgene comprising the step of delivering to a host cell a recombinant ~~virus~~ comprising a recombinant vector according to any of claims 3-8.

23. A method for producing a selected gene product comprising the steps of transfecting a mammalian cell with the molecule according to claim 1 or a functional fragment thereof and culturing said cell under conditions suitable to express said gene product.

Sub
C1

Add
A2